

**Technical Data Sheet**

**SN 350**  
Base Oil (Recycle)

Sn350, the most common type of mineral oil used in making lubricants, is intended for commercial use. These products are obtained by using traditional refining methods (selective treatment, dewaxing) to process vacuum distillates and residual components.

**Application:**

Base oils are used to manufacture products including motor oil, Industrial oil, Grease, and etc.

- General-purpose oils
- Mould oil
- Transmission fluids
- Gear oils
- Metalworking fluids
- Additives
- Hydraulic oils
- Transformer oils

Properties	Min	Max	Test method
viscosity at 100°C	7.5	9	ASTM D-445
viscosity at 40°C	67	70	ASTM D-445
viscosity Index	90	100	ASTM D-2270
Flash Point °C	220	230	ASTM D-92
Pour point	0	0	ASTM D-97
Total Acid Number mgKOH/g	0	0.03	ASTM D-664
Color	2	2.5	ASTM D-1500
Density	0.880	0.882	ASTM D-1298